



# **mobilux GmbH&Co.KG**

**TEL: +49(0)4242-5744-916**

**FAX: +49(0)4242-5744-911**

**Email: info@mobiluxgmbh.de**

**Website: www@mobiluxgmbh.de**

## **Test Report of Luminaire**

**Report No.:**

Luminaire Type	05000303 MOBiDIM SMD R110 2700K		
Lamp Type	SMD2835		
Client		EUT NO.	
<b>Luminaire Parameters:</b>			
Voltage	220.2	Current	0.629
Power:	13.3	Power Factor	0.959
Frequency:	Hz	Tc	2700K
<b>Photometric Parameters</b>			
Luminaire Flux	1046.93 lm	Luminaire Eff.	65.43%
Max Intensity	450.566cd	Central Intensity	450.566cd
Angle of Max Intensity:	V:0 H:0		
Upward Flux Ratio	0.0%		
Downward Flux Ratio	65.43%		
50%Imax Beam Width	V0: 97.3Deg [-47.6,49.66] H0: 95.9Deg [-47.95,47.99]		
Remark			
<b>Luminaire Figure</b>			

**Photometric Data Table [Unit:cd] 05000303 MOBiDIM SMD R110 2700K**

V\H	-90	-85	-80	-75	-70	-65	-60	-55	-50	-45
-90	0.0	0.0	0.0	0.6	0.6	0.6	0.6	0.6	0.6	0.5
-89	0.0	0.0	0.0	0.6	0.6	0.6	0.6	0.6	0.6	0.5
-88	0.0	0.0	0.0	0.6	0.7	0.7	0.7	0.7	0.7	0.7
-87	0.0	0.0	0.0	0.7	0.8	0.8	0.9	0.9	1.0	1.1
-86	0.0	0.0	0.0	0.8	1.0	1.1	1.2	1.4	1.5	1.7
-85	0.0	0.0	0.0	1.0	1.2	1.4	1.6	1.8	2.1	2.3
-84	0.0	0.0	0.0	1.2	1.5	1.8	2.0	2.4	2.7	3.0
-83	0.0	0.0	0.0	1.4	1.7	2.1	2.5	3.1	3.8	4.4
-82	0.0	0.0	0.0	1.6	2.0	2.4	2.8	4.0	5.1	6.2
-81	0.0	0.0	0.0	1.7	2.3	2.8	3.3	5.0	6.7	8.4
-80	0.0	0.0	0.0	1.9	2.7	3.6	4.4	6.5	8.6	10.7
-79	0.0	0.0	0.0	2.0	3.2	4.4	5.6	8.2	10.7	13.3
-78	0.0	0.0	0.0	2.2	3.8	5.4	7.0	10.0	13.0	16.0
-77	0.0	0.0	0.0	2.4	4.4	6.4	8.5	12.0	15.4	18.9
-76	0.0	0.0	0.0	2.5	5.0	7.6	10.1	14.0	17.9	21.8
-75	0.0	0.0	0.0	2.7	5.7	8.7	11.8	16.1	20.5	24.9
-74	0.0	0.0	0.0	2.8	6.4	10.0	13.5	18.4	23.2	28.1
-73	0.0	0.0	0.0	3.0	7.1	11.2	15.3	20.7	26.0	31.3
-72	0.0	0.0	0.0	3.5	8.1	12.7	17.2	23.1	28.9	34.7
-71	0.0	0.0	0.0	4.0	9.1	14.1	19.2	25.5	31.8	38.2
-70	0.0	0.0	0.0	4.6	10.1	15.6	21.1	28.0	34.8	41.7
-69	0.0	0.0	0.0	5.1	11.1	17.1	23.1	30.5	37.9	45.3
-68	0.0	0.0	0.0	5.7	12.2	18.7	25.1	33.0	40.9	48.8
-67	0.0	0.0	0.0	6.3	13.3	20.3	27.2	35.7	44.1	52.5
-66	0.0	0.0	0.0	7.0	14.4	21.9	29.4	38.3	47.3	56.3
-65	0.0	0.0	0.0	7.7	15.6	23.6	31.6	41.1	50.6	60.2
-64	0.0	0.0	0.0	8.3	16.8	25.3	33.8	43.9	53.9	64.0
-63	0.0	0.0	0.0	9.0	18.0	27.0	36.0	46.7	57.3	67.9
-62	0.0	0.0	0.0	9.8	19.3	28.8	38.3	49.5	60.7	71.8
-61	0.0	0.0	0.0	10.5	20.5	30.6	40.6	52.3	64.0	75.7
-60	0.0	0.0	0.0	11.3	21.8	32.4	42.9	55.2	67.5	79.7
-59	0.0	0.0	0.0	12.0	23.1	34.2	45.2	58.1	70.9	83.7
-58	0.0	0.0	0.0	12.8	24.4	36.0	47.6	61.0	74.4	87.8
-57	0.0	0.0	0.0	13.5	25.7	37.8	49.9	63.9	77.8	91.8
-56	0.0	0.0	0.0	14.3	27.0	39.6	52.3	66.8	81.3	95.8
-55	0.0	0.0	0.0	15.1	28.3	41.5	54.7	69.8	84.8	99.9
-54	0.0	0.0	0.0	15.9	29.6	43.4	57.1	72.7	88.3	103.9
-53	0.0	0.0	0.0	16.7	31.0	45.2	59.5	75.7	91.9	108.0
-52	0.0	0.0	0.0	17.5	32.3	47.1	61.9	78.6	95.3	112.0
-51	0.0	0.0	0.0	18.3	33.6	49.0	64.3	81.5	98.8	116.1
-50	0.0	0.0	0.0	19.1	34.9	50.8	66.6	84.4	102.2	120.1
-49	0.0	0.0	0.0	19.9	36.3	52.7	69.0	87.4	105.7	124.0
-48	0.0	0.0	0.0	20.7	37.6	54.5	71.4	90.3	109.1	128.0
-47	0.0	0.0	0.0	21.5	38.9	56.3	73.8	93.1	112.5	131.9
-46	0.0	0.0	0.0	22.3	40.2	58.2	76.1	96.1	116.0	136.0
-45	0.0	0.0	0.0	23.1	41.5	60.0	78.5	98.9	119.4	139.8
-44	0.0	0.0	0.0	23.9	42.9	61.8	80.8	101.8	122.7	143.7
-43	0.0	0.0	0.0	24.7	44.1	63.6	83.1	104.6	126.1	147.6

**Photometric Data Table [Unit:cd] 05000303 MOBiDIM SMD R110 2700K**

-42	0.0	0.0	0.0	25.5	45.4	65.4	85.4	107.4	129.4	151.4
-41	0.0	0.0	0.0	26.2	46.7	67.2	87.7	110.2	132.6	155.1
-40	0.0	0.0	0.0	27.0	48.0	68.9	89.8	112.8	135.9	158.9
-39	0.0	0.0	0.0	27.8	49.3	70.7	92.2	115.6	139.1	162.6
-38	0.0	0.0	0.0	28.6	50.5	72.4	94.2	118.2	142.2	166.2
-37	0.0	0.0	0.0	29.3	51.7	74.1	96.4	120.9	145.4	169.8
-36	0.0	0.0	0.0	30.1	52.9	75.7	98.6	123.5	148.5	173.4
-35	0.0	0.0	0.0	30.8	54.1	77.3	100.6	126.0	151.5	177.0
-34	0.0	0.0	0.0	31.6	55.3	79.0	102.7	128.6	154.5	180.4
-33	0.0	0.0	0.0	32.3	56.5	80.6	104.7	131.1	157.5	183.9
-32	0.0	0.0	0.0	33.0	57.6	82.1	106.7	133.5	160.3	187.2
-31	0.0	0.0	0.0	33.7	58.7	83.7	108.7	135.9	163.2	190.5
-30	0.0	0.0	0.0	34.4	59.8	85.2	110.5	138.3	166.0	193.7
-29	0.0	0.0	0.0	35.1	60.9	86.6	112.3	140.5	168.7	196.9
-28	0.0	0.0	0.0	35.8	61.9	88.1	114.2	142.8	171.4	199.9
-27	0.0	0.0	0.0	36.4	63.0	89.5	116.0	145.0	174.0	203.0
-26	0.0	0.0	0.0	37.1	63.9	90.8	117.7	147.1	176.5	205.9
-25	0.0	0.0	0.0	37.7	64.9	92.2	119.4	149.1	178.9	208.7
-24	0.0	0.0	0.0	38.3	65.8	93.3	120.9	151.1	181.3	211.5
-23	0.0	0.0	0.0	38.9	66.8	94.7	122.6	153.0	183.5	213.9
-22	0.0	0.0	0.0	39.5	67.7	95.9	124.1	154.8	185.6	216.4
-21	0.0	0.0	0.0	40.0	68.5	97.0	125.5	156.6	187.6	218.7
-20	0.0	0.0	0.0	40.6	69.4	98.2	127.0	158.3	189.6	220.8
-19	0.0	0.0	0.0	41.1	70.2	99.2	128.3	159.8	191.4	222.9
-18	0.0	0.0	0.0	41.6	70.9	100.3	129.6	161.4	193.1	224.9
-17	0.0	0.0	0.0	42.1	71.6	101.2	130.7	162.8	194.9	226.9
-16	0.0	0.0	0.0	42.6	72.3	102.1	131.9	164.2	196.5	228.8
-15	0.0	0.0	0.0	43.0	72.9	102.8	132.7	165.3	197.9	230.5
-14	0.0	0.0	0.0	43.4	73.5	103.6	133.7	166.4	199.2	231.9
-13	0.0	0.0	0.0	43.8	74.1	104.3	134.6	167.6	200.6	233.6
-12	0.0	0.0	0.0	44.2	74.6	105.0	135.4	168.5	201.7	234.9
-11	0.0	0.0	0.0	44.6	75.1	105.6	136.1	169.5	202.9	236.3
-10	0.0	0.0	0.0	44.9	75.5	106.1	136.7	170.3	203.8	237.3
-9	0.0	0.0	0.0	45.2	75.9	106.6	137.3	171.1	204.8	238.6
-8	0.0	0.0	0.0	45.4	76.2	107.0	137.8	171.7	205.5	239.4
-7	0.0	0.0	0.0	45.6	76.5	107.4	138.3	172.3	206.3	240.3
-6	0.0	0.0	0.0	45.8	76.8	107.8	138.9	172.9	206.9	240.9
-5	0.0	0.0	0.0	45.9	76.9	108.0	139.0	173.3	207.5	241.8
-4	0.0	0.0	0.0	46.0	77.1	108.3	139.5	173.7	207.9	242.1
-3	0.0	0.0	0.0	46.0	77.2	108.4	139.6	173.9	208.2	242.5
-2	0.0	0.0	0.0	46.1	77.4	108.6	139.9	174.2	208.4	242.7
-1	0.0	0.0	0.0	46.1	77.4	108.6	139.9	174.3	208.7	243.1
0	0.0	0.0	0.0	46.1	77.4	108.7	140.0	174.4	208.8	243.2
1	0.0	0.0	0.0	46.1	77.4	108.6	139.9	174.3	208.6	243.0
2	0.0	0.0	0.0	46.1	77.3	108.6	139.8	174.2	208.5	242.9
3	0.0	0.0	0.0	46.0	77.2	108.5	139.7	174.0	208.3	242.7
4	0.0	0.0	0.0	46.0	77.1	108.3	139.5	173.7	208.0	242.3
5	0.0	0.0	0.0	45.9	77.0	108.1	139.2	173.3	207.5	241.6
6	0.0	0.0	0.0	45.7	76.8	107.8	138.9	172.9	206.9	241.0

**Photometric Data Table [Unit:cd] 05000303 MOBiDIM SMD R110 2700K**

7	0.0	0.0	0.0	45.6	76.5	107.4	138.3	172.3	206.2	240.2
8	0.0	0.0	0.0	45.4	76.3	107.1	137.9	171.8	205.7	239.6
9	0.0	0.0	0.0	45.2	75.9	106.7	137.4	171.2	204.9	238.6
10	0.0	0.0	0.0	44.9	75.5	106.2	136.8	170.3	203.9	237.5
11	0.0	0.0	0.0	44.6	75.1	105.6	136.1	169.5	202.9	236.3
12	0.0	0.0	0.0	44.2	74.6	105.0	135.4	168.6	201.8	234.9
13	0.0	0.0	0.0	43.8	74.1	104.3	134.6	167.6	200.5	233.5
14	0.0	0.0	0.0	43.4	73.5	103.6	133.7	166.5	199.3	232.1
15	0.0	0.0	0.0	43.0	73.0	102.9	132.9	165.4	197.9	230.5
16	0.0	0.0	0.0	42.6	72.4	102.1	131.9	164.3	196.6	228.9
17	0.0	0.0	0.0	42.1	71.7	101.3	130.9	163.0	195.1	227.2
18	0.0	0.0	0.0	41.6	71.0	100.4	129.8	161.5	193.3	225.1
19	0.0	0.0	0.0	41.1	70.2	99.4	128.5	160.0	191.5	223.0
20	0.0	0.0	0.0	40.6	69.4	98.2	127.1	158.4	189.7	221.0
21	0.0	0.0	0.0	40.1	68.6	97.2	125.7	156.8	187.8	218.9
22	0.0	0.0	0.0	39.5	67.8	96.0	124.3	155.0	185.8	216.5
23	0.0	0.0	0.0	38.9	66.9	94.8	122.7	153.2	183.6	214.0
24	0.0	0.0	0.0	38.4	66.0	93.6	121.2	151.3	181.4	211.5
25	0.0	0.0	0.0	37.7	65.0	92.2	119.5	149.3	179.1	208.9
26	0.0	0.0	0.0	37.1	64.0	91.0	117.9	147.3	176.7	206.1
27	0.0	0.0	0.0	36.5	63.0	89.6	116.1	145.1	174.1	203.1
28	0.0	0.0	0.0	35.8	62.0	88.2	114.4	143.1	171.7	200.3
29	0.0	0.0	0.0	35.2	61.0	86.8	112.6	140.7	168.9	197.0
30	0.0	0.0	0.0	34.5	59.9	85.3	110.6	138.4	166.1	193.9
31	0.0	0.0	0.0	33.8	58.8	83.8	108.8	136.1	163.4	190.7
32	0.0	0.0	0.0	33.1	57.7	82.3	107.0	133.7	160.5	187.3
33	0.0	0.0	0.0	32.4	56.6	80.8	105.0	131.3	157.7	184.1
34	0.0	0.0	0.0	31.7	55.4	79.2	103.0	128.9	154.8	180.7
35	0.0	0.0	0.0	30.9	54.2	77.5	100.8	126.3	151.8	177.3
36	0.0	0.0	0.0	30.2	53.0	75.9	98.8	123.7	148.7	173.6
37	0.0	0.0	0.0	29.4	51.9	74.3	96.7	121.2	145.6	170.1
38	0.0	0.0	0.0	28.7	50.6	72.6	94.5	118.5	142.5	166.4
39	0.0	0.0	0.0	27.9	49.3	70.8	92.3	115.8	139.2	162.7
40	0.0	0.0	0.0	27.1	48.1	69.1	90.1	113.1	136.1	159.1
41	0.0	0.0	0.0	26.3	46.8	67.3	87.9	110.4	132.9	155.4
42	0.0	0.0	0.0	25.5	45.6	65.6	85.7	107.6	129.6	151.5
43	0.0	0.0	0.0	24.7	44.3	63.8	83.4	104.9	126.3	147.8
44	0.0	0.0	0.0	24.0	43.0	62.0	81.0	102.0	122.9	143.9
45	0.0	0.0	0.0	23.2	41.7	60.2	78.7	99.2	119.6	140.0
46	0.0	0.0	0.0	22.4	40.4	58.4	76.4	96.3	116.2	136.1
47	0.0	0.0	0.0	21.6	39.1	56.6	74.1	93.5	112.8	132.2
48	0.0	0.0	0.0	20.7	37.7	54.7	71.7	90.5	109.3	128.2
49	0.0	0.0	0.0	19.9	36.4	52.9	69.3	87.7	106.0	124.3
50	0.0	0.0	0.0	19.1	35.1	51.0	67.0	84.7	102.5	120.3
51	0.0	0.0	0.0	18.3	33.8	49.2	64.6	81.8	99.0	116.2
52	0.0	0.0	0.0	17.6	32.4	47.3	62.2	78.8	95.5	112.2
53	0.0	0.0	0.0	16.7	31.1	45.4	59.8	75.9	92.0	108.2
54	0.0	0.0	0.0	16.0	29.8	43.6	57.4	73.0	88.5	104.1
55	0.0	0.0	0.0	15.2	28.4	41.7	55.0	70.0	85.0	100.0

**Photometric Data Table [Unit:cd] 05000303 MOBiDIM SMD R110 2700K**

<b>56</b>	0.0	0.0	0.0	14.4	27.1	39.9	52.6	67.1	81.6	96.1
<b>57</b>	0.0	0.0	0.0	13.6	25.8	38.0	50.2	64.1	78.1	92.0
<b>58</b>	0.0	0.0	0.0	12.8	24.5	36.2	47.9	61.2	74.6	88.0
<b>59</b>	0.0	0.0	0.0	12.1	23.3	34.5	45.7	58.5	71.2	84.0
<b>60</b>	0.0	0.0	0.0	11.3	22.0	32.7	43.3	55.5	67.7	79.9
<b>61</b>	0.0	0.0	0.0	10.5	20.7	30.9	41.0	52.6	64.3	75.9
<b>62</b>	0.0	0.0	0.0	9.8	19.4	29.1	38.7	49.8	60.9	72.0
<b>63</b>	0.0	0.0	0.0	9.1	18.2	27.3	36.4	47.0	57.5	68.0
<b>64</b>	0.0	0.0	0.0	8.4	17.0	25.6	34.2	44.2	54.1	64.1
<b>65</b>	0.0	0.0	0.0	7.7	15.8	23.9	32.0	41.4	50.8	60.3
<b>66</b>	0.0	0.0	0.0	7.0	14.6	22.2	29.8	38.7	47.6	56.5
<b>67</b>	0.0	0.0	0.0	6.3	13.4	20.5	27.6	36.0	44.3	52.7
<b>68</b>	0.0	0.0	0.0	5.7	12.3	18.9	25.5	33.3	41.1	49.0
<b>69</b>	0.0	0.0	0.0	5.1	11.2	17.3	23.4	30.7	38.0	45.3
<b>70</b>	0.0	0.0	0.0	4.5	10.1	15.8	21.4	28.1	34.9	41.7
<b>71</b>	0.0	0.0	0.0	4.0	9.1	14.3	19.4	25.6	31.9	38.1
<b>72</b>	0.0	0.0	0.0	3.5	8.2	12.8	17.4	23.2	28.9	34.7
<b>73</b>	0.0	0.0	0.0	3.1	7.2	11.4	15.5	20.8	26.1	31.4
<b>74</b>	0.0	0.0	0.0	2.9	6.5	10.1	13.7	18.5	23.3	28.1
<b>75</b>	0.0	0.0	0.0	2.7	5.8	8.9	11.9	16.3	20.6	24.9
<b>76</b>	0.0	0.0	0.0	2.6	5.1	7.7	10.2	14.1	18.0	22.0
<b>77</b>	0.0	0.0	0.0	2.4	4.5	6.6	8.6	12.1	15.5	19.0
<b>78</b>	0.0	0.0	0.0	2.3	3.9	5.5	7.1	10.1	13.1	16.1
<b>79</b>	0.0	0.0	0.0	2.1	3.3	4.5	5.7	8.3	10.9	13.4
<b>80</b>	0.0	0.0	0.0	2.0	2.8	3.7	4.5	6.6	8.7	10.8
<b>81</b>	0.0	0.0	0.0	1.8	2.3	2.9	3.4	5.1	6.8	8.4
<b>82</b>	0.0	0.0	0.0	1.6	2.1	2.5	2.9	4.0	5.2	6.3
<b>83</b>	0.0	0.0	0.0	1.4	1.8	2.2	2.5	3.2	3.8	4.4
<b>84</b>	0.0	0.0	0.0	1.2	1.5	1.8	2.1	2.4	2.7	3.0
<b>85</b>	0.0	0.0	0.0	1.0	1.2	1.5	1.7	1.9	2.1	2.4
<b>86</b>	0.0	0.0	0.0	0.9	1.0	1.1	1.2	1.4	1.5	1.7
<b>87</b>	0.0	0.0	0.0	0.7	0.8	0.8	0.9	0.9	1.0	1.0
<b>88</b>	0.0	0.0	0.0	0.7	0.7	0.7	0.7	0.7	0.7	0.7
<b>89</b>	0.0	0.0	0.0	0.6	0.6	0.6	0.6	0.5	0.5	0.5
<b>90</b>	0.0	0.0	0.0	0.6	0.6	0.6	0.5	0.5	0.5	0.5
<b>V\H</b>	<b>-40</b>	<b>-35</b>	<b>-30</b>	<b>-25</b>	<b>-20</b>	<b>-15</b>	<b>-10</b>	<b>-5</b>	<b>0</b>	<b>5</b>
<b>-90</b>	0.5	0.5	0.5	0.5	0.4	0.4	0.4	0.4	0.4	0.3
<b>-89</b>	0.5	0.5	0.5	0.5	0.5	0.4	0.4	0.4	0.4	0.4
<b>-88</b>	0.7	0.7	0.7	0.7	0.7	0.6	0.7	0.7	0.8	0.7
<b>-87</b>	1.2	1.3	1.3	1.5	1.7	1.9	1.9	1.9	1.9	1.9
<b>-86</b>	1.9	2.0	2.2	2.3	2.4	2.6	2.6	2.6	2.6	2.6
<b>-85</b>	2.5	2.7	3.0	3.3	3.7	4.1	4.2	4.3	4.4	4.3
<b>-84</b>	3.6	4.3	5.0	5.6	6.1	6.7	6.9	7.1	7.3	7.1
<b>-83</b>	5.4	6.4	7.4	8.2	9.1	9.9	10.1	10.4	10.7	10.5
<b>-82</b>	7.6	9.0	10.3	11.4	12.4	13.4	13.8	14.2	14.5	14.2
<b>-81</b>	10.1	11.8	13.6	14.8	16.1	17.3	17.8	18.2	18.6	18.3
<b>-80</b>	12.8	14.9	17.0	18.5	20.0	21.5	22.0	22.6	23.1	22.7

**Photometric Data Table [Unit:cd] 05000303 MOBiDIM SMD R110 2700K**

-79	15.7	18.2	20.6	22.4	24.1	25.8	26.4	27.0	27.5	27.1
-78	18.8	21.6	24.3	26.4	28.4	30.4	31.1	31.8	32.4	31.9
-77	22.0	25.2	28.3	30.6	32.9	35.3	36.0	36.7	37.5	36.9
-76	25.4	28.9	32.5	35.0	37.6	40.2	41.0	41.9	42.8	42.1
-75	28.9	32.8	36.8	39.6	42.5	45.3	46.3	47.3	48.2	47.5
-74	32.5	36.8	41.2	44.3	47.4	50.4	51.6	52.7	53.8	53.0
-73	36.1	40.9	45.7	49.1	52.4	55.8	57.0	58.3	59.5	58.6
-72	40.0	45.2	50.4	54.1	57.7	61.3	62.7	64.0	65.4	64.4
-71	43.9	49.5	55.2	59.2	63.1	67.0	68.5	69.9	71.4	70.3
-70	47.8	53.9	60.0	64.3	68.5	72.8	74.4	75.9	77.5	76.3
-69	51.8	58.4	65.0	69.5	74.1	78.6	80.3	82.0	83.6	82.4
-68	55.9	63.0	70.0	74.8	79.7	84.5	86.3	88.2	90.0	88.6
-67	60.1	67.6	75.2	80.3	85.4	90.5	92.4	94.4	96.3	94.8
-66	64.3	72.3	80.3	85.7	91.2	96.6	98.7	100.7	102.7	101.2
-65	68.6	77.1	85.5	91.2	97.0	102.7	104.9	107.0	109.2	107.6
-64	72.9	81.8	90.8	96.8	102.9	109.0	111.2	113.4	115.6	114.0
-63	77.3	86.7	96.1	102.5	108.8	115.1	117.5	119.9	122.3	120.5
-62	81.7	91.5	101.4	108.0	114.7	121.4	123.9	126.4	128.9	127.1
-61	86.1	96.4	106.8	113.8	120.7	127.7	130.3	133.0	135.6	133.6
-60	90.5	101.3	112.1	119.4	126.7	134.0	136.7	139.4	142.1	140.1
-59	95.0	106.3	117.6	125.2	132.7	140.3	143.2	146.1	149.0	146.8
-58	99.6	111.3	123.1	130.9	138.8	146.6	149.7	152.7	155.7	153.5
-57	104.0	116.2	128.5	136.7	144.9	153.1	156.2	159.3	162.4	160.1
-56	108.5	121.2	133.9	142.5	151.0	159.6	162.8	166.1	169.4	166.9
-55	113.1	126.3	139.4	148.3	157.1	166.0	169.4	172.7	176.1	173.7
-54	117.5	131.1	144.7	154.0	163.2	172.4	176.0	179.5	183.1	180.5
-53	122.2	136.3	150.5	160.0	169.5	179.0	182.7	186.3	189.9	187.3
-52	126.6	141.2	155.8	165.7	175.6	185.5	189.3	193.1	197.0	194.2
-51	131.2	146.3	161.4	171.6	181.9	192.1	196.1	200.1	204.1	201.2
-50	135.6	151.2	166.8	177.4	188.0	198.6	202.6	206.7	210.8	207.8
-49	140.1	156.2	172.3	183.2	194.2	205.2	209.4	213.7	217.9	214.8
-48	144.6	161.2	177.8	189.0	200.3	211.6	216.1	220.5	225.0	221.7
-47	149.0	166.1	183.2	194.8	206.5	218.1	222.7	227.3	231.8	228.6
-46	153.5	171.1	188.6	200.7	212.8	224.9	229.7	234.4	239.1	235.7
-45	157.9	176.0	194.1	206.6	219.0	231.4	236.3	241.2	246.0	242.5
-44	162.3	180.8	199.4	212.3	225.1	238.0	243.1	248.2	253.2	249.6
-43	166.7	185.7	204.8	218.1	231.3	244.6	249.8	255.1	260.4	256.6
-42	171.0	190.6	210.2	223.8	237.5	251.1	256.5	261.9	267.3	263.4
-41	175.3	195.4	215.6	229.6	243.6	257.6	263.1	268.7	274.3	270.3
-40	179.5	200.2	220.9	235.3	249.7	264.1	269.9	275.6	281.4	277.3
-39	183.8	205.0	226.2	240.9	255.7	270.4	276.4	282.5	288.5	284.2
-38	187.9	209.6	231.2	246.5	261.7	277.0	283.1	289.3	295.4	291.0
-37	192.0	214.2	236.4	252.1	267.7	283.4	289.8	296.1	302.5	297.9
-36	196.2	218.9	241.6	257.7	273.8	289.9	296.4	302.8	309.2	304.5
-35	200.2	223.4	246.7	263.1	279.6	296.1	302.8	309.5	316.1	311.3
-34	204.2	228.1	251.9	268.8	285.7	302.5	309.3	316.1	322.9	318.0
-33	208.1	232.4	256.6	274.0	291.3	308.7	315.6	322.6	329.6	324.5
-32	211.9	236.7	261.5	279.2	296.9	314.6	321.7	328.9	336.0	331.0
-31	215.8	241.1	266.4	284.4	302.4	320.5	327.7	334.9	342.1	336.9

**Photometric Data Table [Unit:cd] 05000303 MOBiDIM SMD R110 2700K**

-30	219.5	245.2	271.0	289.3	307.6	325.9	333.4	340.8	348.3	343.0
-29	223.2	249.4	275.7	294.3	312.9	331.6	339.1	346.7	354.3	348.9
-28	226.6	253.2	279.8	298.8	317.8	336.9	344.6	352.4	360.1	354.5
-27	229.9	256.9	283.8	303.3	322.8	342.3	350.1	358.0	365.8	360.2
-26	233.3	260.7	288.2	307.8	327.5	347.1	355.3	363.5	371.8	365.9
-25	236.4	264.2	292.0	312.1	332.2	352.4	360.6	368.8	377.0	371.2
-24	239.6	267.7	295.8	316.3	336.8	357.3	365.8	374.2	382.6	376.5
-23	242.5	271.1	299.7	320.4	341.1	361.8	370.5	379.1	387.7	381.7
-22	245.3	274.3	303.3	324.4	345.6	366.8	375.4	384.1	392.7	386.5
-21	248.0	277.4	306.7	328.1	349.5	370.9	379.8	388.8	397.7	391.5
-20	250.6	280.3	310.1	331.8	353.5	375.2	384.1	393.1	402.0	395.6
-19	253.0	283.2	313.3	335.3	357.3	379.3	388.4	397.5	406.7	400.2
-18	255.4	285.9	316.5	338.6	360.8	383.0	392.3	401.7	411.0	404.5
-17	257.7	288.5	319.3	341.9	364.5	387.0	396.4	405.7	415.1	408.4
-16	259.8	290.8	321.9	344.8	367.7	390.6	400.1	409.6	419.1	412.4
-15	261.8	293.2	324.5	347.7	370.8	394.0	403.5	413.1	422.6	415.8
-14	263.7	295.4	327.2	350.5	373.8	397.1	406.9	416.7	426.4	419.4
-13	265.6	297.6	329.6	353.2	376.7	400.3	410.0	419.7	429.4	422.5
-12	267.1	299.3	331.5	355.3	379.0	402.8	412.7	422.5	432.4	425.3
-11	268.7	301.2	333.6	357.5	381.3	405.2	415.3	425.3	435.4	428.3
-10	270.1	302.8	335.6	359.6	383.7	407.7	417.7	427.7	437.7	430.6
-9	271.3	304.1	336.9	361.2	385.5	409.8	420.0	430.3	440.6	433.3
-8	272.4	305.4	338.3	362.9	387.4	412.0	422.1	432.2	442.3	435.2
-7	273.5	306.7	339.8	364.4	388.9	413.5	423.7	433.9	444.1	436.8
-6	274.2	307.6	340.9	365.6	390.3	415.0	425.3	435.6	445.9	438.7
-5	275.1	308.5	341.8	366.6	391.4	416.1	426.6	437.0	447.4	440.1
-4	275.7	309.2	342.8	367.6	392.5	417.3	427.6	437.9	448.2	441.0
-3	276.1	309.7	343.2	368.2	393.2	418.3	428.6	438.9	449.2	441.7
-2	276.4	310.1	343.8	368.7	393.7	418.6	429.0	439.4	449.8	442.4
-1	276.7	310.4	344.1	369.1	394.0	419.0	429.4	439.8	450.2	442.8
0	276.9	310.6	344.2	369.2	394.1	419.0	429.5	440.0	450.6	443.0
1	276.7	310.4	344.2	369.0	393.9	418.8	429.3	439.9	450.4	442.9
2	276.6	310.2	343.8	368.8	393.7	418.6	429.0	439.4	449.9	442.3
3	276.2	309.7	343.2	368.1	393.0	417.9	428.4	438.8	449.3	441.8
4	275.7	309.2	342.7	367.5	392.4	417.2	427.6	437.9	448.3	440.9
5	275.0	308.4	341.8	366.6	391.4	416.2	426.6	437.0	447.4	440.0
6	274.4	307.8	341.2	365.8	390.4	415.0	425.3	435.6	445.9	438.5
7	273.4	306.6	339.9	364.3	388.8	413.3	423.7	434.1	444.5	437.1
8	272.5	305.5	338.4	362.7	387.0	411.4	421.7	431.9	442.2	435.0
9	271.4	304.1	336.9	361.2	385.6	409.9	420.0	430.2	440.3	433.0
10	270.1	302.8	335.4	359.5	383.7	407.8	417.9	427.9	438.0	430.8
11	268.8	301.2	333.6	357.4	381.3	405.1	415.2	425.4	435.6	428.5
12	267.2	299.4	331.7	355.3	378.9	402.6	412.6	422.6	432.6	425.4
13	265.4	297.4	329.4	353.0	376.5	400.1	409.9	419.7	429.5	422.5
14	263.9	295.6	327.3	350.5	373.8	397.0	406.9	416.7	426.6	419.5
15	261.9	293.3	324.7	347.8	370.9	394.0	403.6	413.2	422.8	415.9
16	260.0	291.0	322.1	345.0	367.8	390.7	400.2	409.6	419.1	412.3
17	257.9	288.7	319.4	341.9	364.4	386.9	396.4	405.9	415.5	408.7
18	255.5	286.0	316.5	338.7	361.0	383.2	392.5	401.8	411.1	404.4

**Photometric Data Table [Unit:cd] 05000303 MOBiDIM SMD R110 2700K**

19	253.1	283.2	313.3	335.3	357.2	379.2	388.5	397.7	407.0	400.3
20	250.8	280.6	310.4	332.0	353.6	375.2	384.2	393.2	402.2	395.7
21	248.2	277.6	306.9	328.3	349.7	371.0	379.9	388.8	397.6	391.2
22	245.5	274.5	303.5	324.5	345.5	366.5	375.3	384.0	392.8	386.5
23	242.6	271.2	299.8	320.6	341.3	362.0	370.6	379.2	387.7	381.5
24	239.8	268.0	296.2	316.6	336.9	357.2	365.8	374.3	382.9	376.6
25	236.7	264.5	292.3	312.3	332.3	352.3	360.7	369.0	377.4	371.4
26	233.5	261.0	288.4	308.0	327.6	347.1	355.4	363.7	371.9	365.9
27	230.2	257.3	284.4	303.6	322.9	342.1	350.2	358.3	366.4	360.5
28	226.9	253.5	280.1	299.1	318.0	337.0	344.8	352.6	360.4	354.7
29	223.3	249.6	275.9	294.5	313.0	331.5	339.2	346.9	354.6	348.9
30	219.8	245.6	271.5	289.7	307.8	325.9	333.5	341.0	348.5	343.0
31	216.0	241.3	266.6	284.5	302.4	320.3	327.6	334.9	342.2	336.9
32	212.2	237.2	262.1	279.6	297.1	314.6	321.8	329.0	336.1	330.8
33	208.5	232.9	257.3	274.4	291.5	308.6	315.7	322.8	329.8	324.6
34	204.5	228.3	252.1	268.9	285.7	302.5	309.3	316.2	323.1	318.0
35	200.5	223.8	247.1	263.4	279.8	296.2	302.9	309.6	316.3	311.4
36	196.5	219.3	242.1	258.0	273.9	289.7	296.4	303.0	309.6	304.7
37	192.4	214.7	237.0	252.5	268.0	283.5	289.9	296.4	302.8	298.1
38	188.2	210.0	231.7	246.8	262.0	277.1	283.3	289.5	295.7	291.1
39	183.9	205.2	226.4	241.1	255.8	270.5	276.6	282.7	288.7	284.2
40	179.8	200.4	221.1	235.5	249.9	264.3	270.1	276.0	281.8	277.4
41	175.6	195.9	216.1	229.9	243.8	257.6	263.3	269.0	274.7	270.5
42	171.2	190.9	210.6	224.0	237.5	250.9	256.4	261.9	267.5	263.4
43	167.0	186.2	205.3	218.4	231.5	244.5	249.9	255.2	260.5	256.6
44	162.6	181.3	200.0	212.6	225.3	237.9	243.1	248.2	253.3	249.4
45	158.2	176.4	194.5	206.8	219.1	231.4	236.4	241.4	246.5	242.7
46	153.8	171.5	189.1	201.1	213.0	224.9	229.7	234.5	239.3	235.7
47	149.4	166.5	183.6	195.2	206.7	218.2	222.9	227.6	232.2	228.7
48	144.8	161.5	178.2	189.3	200.5	211.7	216.2	220.7	225.2	221.8
49	140.5	156.7	172.8	183.6	194.4	205.2	209.6	214.0	218.4	215.1
50	135.9	151.5	167.2	177.6	188.1	198.5	202.7	207.0	211.2	208.0
51	131.4	146.6	161.8	171.8	181.9	192.0	196.0	200.0	204.1	201.0
52	126.9	141.6	156.3	166.1	175.8	185.6	189.4	193.3	197.2	194.2
53	122.4	136.6	150.8	160.2	169.6	179.0	182.7	186.4	190.1	187.3
54	117.9	131.6	145.3	154.4	163.5	172.6	176.2	179.7	183.3	180.6
55	113.4	126.7	140.0	148.6	157.3	166.0	169.5	173.0	176.5	173.8
56	108.8	121.6	134.3	142.8	151.2	159.7	163.0	166.4	169.7	167.2
57	104.3	116.6	128.9	137.0	145.0	153.1	156.3	159.6	162.8	160.4
58	99.8	111.7	123.5	131.2	139.0	146.7	149.7	152.8	155.8	153.5
59	95.4	106.7	118.1	125.5	132.9	140.3	143.3	146.3	149.2	147.0
60	90.8	101.7	112.6	119.7	126.8	133.9	136.8	139.6	142.5	140.3
61	86.4	96.8	107.3	114.1	120.9	127.7	130.4	133.1	135.8	133.7
62	81.9	91.9	101.8	108.3	114.8	121.4	124.0	126.6	129.2	127.2
63	77.5	87.0	96.5	102.7	108.9	115.2	117.6	120.1	122.6	120.7
64	73.1	82.2	91.2	97.1	103.0	108.9	111.3	113.6	116.0	114.2
65	68.8	77.3	85.9	91.5	97.1	102.7	104.9	107.2	109.5	107.7
66	64.5	72.6	80.7	86.0	91.4	96.7	98.8	100.9	103.0	101.4
67	60.3	67.9	75.5	80.5	85.5	90.5	92.5	94.5	96.5	95.0



**Photometric Data Table [Unit:cd] 05000303 MOBiDIM SMD R110 2700K**

<b>68</b>	56.1	63.3	70.4	75.1	79.9	84.6	86.5	88.4	90.2	88.8
<b>69</b>	52.0	58.7	65.4	69.8	74.2	78.7	80.4	82.2	84.0	82.6
<b>70</b>	47.9	54.2	60.4	64.5	68.7	72.8	74.4	76.1	77.8	76.5
<b>71</b>	43.9	49.7	55.5	59.4	63.2	67.0	68.5	70.1	71.7	70.5
<b>72</b>	40.1	45.4	50.8	54.3	57.9	61.4	62.8	64.3	65.7	64.6
<b>73</b>	36.3	41.3	46.2	49.4	52.6	55.8	57.2	58.5	59.8	58.8
<b>74</b>	32.6	37.1	41.7	44.6	47.5	50.4	51.6	52.8	54.1	53.1
<b>75</b>	29.0	33.1	37.2	39.9	42.5	45.2	46.3	47.4	48.5	47.6
<b>76</b>	25.6	29.3	32.9	35.3	37.7	40.0	41.1	42.1	43.2	42.3
<b>77</b>	22.2	25.5	28.7	30.8	32.9	35.0	36.0	36.9	37.9	37.1
<b>78</b>	19.0	21.9	24.7	26.6	28.5	30.3	31.2	32.0	32.8	32.2
<b>79</b>	15.9	18.4	20.9	22.5	24.1	25.7	26.5	27.2	27.9	27.3
<b>80</b>	13.0	15.1	17.2	18.6	20.1	21.5	22.1	22.7	23.2	22.8
<b>81</b>	10.2	12.0	13.8	15.0	16.1	17.3	17.8	18.3	18.8	18.4
<b>82</b>	7.7	9.1	10.5	11.5	12.5	13.5	13.9	14.3	14.7	14.4
<b>83</b>	5.5	6.5	7.6	8.3	9.1	9.8	10.2	10.5	10.8	10.6
<b>84</b>	3.7	4.3	5.0	5.6	6.1	6.6	6.9	7.1	7.4	7.2
<b>85</b>	2.6	2.8	3.0	3.3	3.7	4.0	4.2	4.3	4.5	4.3
<b>86</b>	1.9	2.1	2.2	2.3	2.4	2.5	2.5	2.5	2.5	2.5
<b>87</b>	1.2	1.3	1.4	1.5	1.7	1.8	1.8	1.8	1.8	1.8
<b>88</b>	0.6	0.6	0.6	0.6	0.6	0.5	0.6	0.6	0.7	0.7
<b>89</b>	0.5	0.4	0.4	0.4	0.3	0.3	0.3	0.3	0.2	0.2
<b>90</b>	0.4	0.4	0.4	0.3	0.3	0.3	0.3	0.2	0.2	0.2
<b>V\H</b>	<b>10</b>	<b>15</b>	<b>20</b>	<b>25</b>	<b>30</b>	<b>35</b>	<b>40</b>	<b>45</b>	<b>50</b>	<b>55</b>
<b>-90</b>	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2
<b>-89</b>	0.4	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2
<b>-88</b>	0.7	0.7	0.7	0.6	0.6	0.5	0.5	0.4	0.4	0.3
<b>-87</b>	1.8	1.8	1.7	1.6	1.5	1.3	1.1	0.9	0.7	0.6
<b>-86</b>	2.5	2.5	2.4	2.3	2.2	2.0	1.9	1.7	1.4	1.1
<b>-85</b>	4.2	4.1	3.7	3.3	2.9	2.7	2.4	2.2	2.0	1.7
<b>-84</b>	7.0	6.8	6.2	5.7	5.1	4.3	3.6	2.8	2.5	2.2
<b>-83</b>	10.2	10.0	9.2	8.5	7.7	6.6	5.6	4.5	3.8	3.0
<b>-82</b>	13.9	13.7	12.7	11.7	10.7	9.3	7.9	6.6	5.2	3.9
<b>-81</b>	18.0	17.6	16.4	15.3	14.1	12.3	10.6	8.9	7.1	5.3
<b>-80</b>	22.3	21.9	20.5	19.1	17.7	15.6	13.5	11.4	9.2	7.0
<b>-79</b>	26.7	26.3	24.7	23.0	21.4	19.0	16.6	14.2	11.5	8.8
<b>-78</b>	31.5	31.0	29.1	27.2	25.3	22.6	19.8	17.1	13.9	10.8
<b>-77</b>	36.4	35.9	33.7	31.6	29.4	26.3	23.2	20.1	16.5	13.0
<b>-76</b>	41.5	40.8	38.4	36.0	33.6	30.2	26.7	23.2	19.2	15.2
<b>-75</b>	46.8	46.1	43.4	40.8	38.1	34.2	30.4	26.5	22.0	17.5
<b>-74</b>	52.1	51.3	48.4	45.5	42.7	38.4	34.1	29.9	24.9	19.9
<b>-73</b>	57.7	56.8	53.6	50.5	47.4	42.7	38.0	33.3	27.9	22.4
<b>-72</b>	63.4	62.4	59.0	55.6	52.2	47.1	42.0	36.9	31.0	25.0
<b>-71</b>	69.2	68.2	64.5	60.8	57.2	51.6	46.1	40.6	34.1	27.7
<b>-70</b>	75.1	74.0	70.0	66.1	62.2	56.2	50.3	44.3	37.3	30.3
<b>-69</b>	81.1	79.9	75.7	71.5	67.3	60.8	54.4	48.0	40.5	33.0
<b>-68</b>	87.2	85.9	81.4	77.0	72.5	65.6	58.7	51.8	43.8	35.8

**Photometric Data Table [Unit:cd] 05000303 MOBiDIM SMD R110 2700K**

-67	93.4	91.9	87.2	82.5	77.8	70.4	63.1	55.8	47.2	38.6
-66	99.7	98.2	93.1	88.1	83.1	75.3	67.5	59.7	50.6	41.5
-65	106.0	104.4	99.1	93.8	88.5	80.2	72.0	63.8	54.1	44.5
-64	112.3	110.7	105.1	99.5	93.9	85.2	76.6	67.9	57.7	47.5
-63	118.7	116.9	111.1	105.2	99.4	90.3	81.1	72.0	61.2	50.4
-62	125.3	123.4	117.3	111.1	104.9	95.3	85.7	76.1	64.8	53.5
-61	131.7	129.7	123.3	116.9	110.4	100.4	90.4	80.3	68.4	56.6
-60	138.1	136.1	129.4	122.7	116.0	105.5	95.0	84.5	72.0	59.6
-59	144.7	142.6	135.6	128.5	121.5	110.6	99.6	88.7	75.7	62.7
-58	151.3	149.1	141.8	134.5	127.2	115.8	104.5	93.1	79.5	65.9
-57	157.9	155.6	148.0	140.4	132.9	121.0	109.1	97.2	83.1	69.0
-56	164.5	162.1	154.2	146.4	138.5	126.1	113.8	101.5	86.8	72.1
-55	171.2	168.7	160.5	152.3	144.1	131.4	118.6	105.8	90.5	75.3
-54	178.0	175.4	166.9	158.4	149.8	136.6	123.3	110.1	94.3	78.5
-53	184.6	182.0	173.2	164.3	155.5	141.8	128.1	114.3	98.0	81.7
-52	191.4	188.7	179.5	170.3	161.2	147.0	132.8	118.6	101.7	84.8
-51	198.3	195.3	185.9	176.4	166.9	152.2	137.5	122.8	105.4	87.9
-50	204.8	201.9	192.1	182.3	172.5	157.4	142.2	127.1	109.1	91.1
-49	211.7	208.6	198.5	188.4	178.2	162.6	147.0	131.3	112.8	94.2
-48	218.5	215.3	204.8	194.4	183.9	167.7	151.6	135.4	116.4	97.3
-47	225.3	222.1	211.2	200.4	189.5	172.9	156.3	139.6	120.0	100.4
-46	232.3	228.9	217.7	206.5	195.3	178.1	161.0	143.9	123.7	103.6
-45	239.0	235.5	224.0	212.5	200.9	183.3	165.6	147.9	127.3	106.6
-44	245.9	242.3	230.4	218.5	206.5	188.4	170.2	152.1	130.9	109.7
-43	252.8	249.0	236.7	224.4	212.2	193.5	174.8	156.2	134.4	112.7
-42	259.6	255.7	243.1	230.5	217.8	198.6	179.5	160.3	138.0	115.7
-41	266.4	262.4	249.3	236.3	223.2	203.5	183.9	164.2	141.4	118.7
-40	273.1	269.0	255.6	242.2	228.8	208.6	188.4	168.2	144.9	121.7
-39	279.9	275.7	261.9	248.0	234.2	213.5	192.8	172.1	148.3	124.5
-38	286.6	282.2	268.1	254.0	239.8	218.6	197.3	176.0	151.7	127.4
-37	293.2	288.6	274.1	259.7	245.3	223.5	201.7	179.8	155.0	130.2
-36	299.9	295.2	280.2	265.3	250.4	228.1	205.9	183.7	158.4	133.0
-35	306.6	301.8	286.5	271.3	256.0	233.2	210.3	187.4	161.6	135.8
-34	313.0	308.1	292.5	276.9	261.2	237.9	214.6	191.2	164.9	138.5
-33	319.5	314.5	298.4	282.4	266.3	242.4	218.6	194.8	168.0	141.2
-32	325.9	320.8	304.4	288.0	271.5	247.2	222.8	198.4	171.1	143.8
-31	331.6	326.4	309.8	293.1	276.4	251.6	226.8	202.0	174.2	146.5
-30	337.7	332.4	315.3	298.2	281.2	255.9	230.6	205.3	177.1	148.9
-29	343.5	338.2	320.8	303.3	285.9	260.2	234.5	208.7	180.1	151.4
-28	348.9	343.4	325.8	308.2	290.6	264.4	238.2	212.1	183.0	153.9
-27	354.6	349.0	331.1	313.1	295.2	268.5	241.9	215.3	185.7	156.2
-26	360.1	354.3	336.0	317.6	299.2	272.2	245.2	218.3	188.4	158.5
-25	365.3	359.5	340.8	322.2	303.5	276.2	248.8	221.5	191.1	160.7
-24	370.5	364.4	345.5	326.6	307.6	279.8	252.0	224.2	193.5	162.9
-23	375.6	369.5	350.2	330.9	311.7	283.4	255.2	226.9	195.9	164.8
-22	380.3	374.1	354.5	334.8	315.2	286.6	258.0	229.4	198.1	166.8
-21	385.3	379.0	359.0	338.9	318.9	289.9	260.8	231.8	200.2	168.6
-20	389.2	382.8	362.7	342.6	322.4	293.1	263.8	234.5	202.6	170.6
-19	393.8	387.4	366.9	346.5	326.0	296.2	266.4	236.7	204.4	172.2

**Photometric Data Table [Unit:cd] 05000303 MOBiDIM SMD R110 2700K**

-18	398.0	391.4	370.7	349.9	329.1	299.0	268.9	238.7	206.3	173.8
-17	401.8	395.2	374.1	353.1	332.1	301.7	271.3	240.9	208.2	175.4
-16	405.7	398.9	377.7	356.5	335.2	304.4	273.6	242.9	209.8	176.8
-15	408.9	402.1	380.7	359.2	337.8	306.8	275.8	244.7	211.4	178.1
-14	412.5	405.5	383.8	362.1	340.5	309.1	277.7	246.3	212.8	179.2
-13	415.6	408.7	386.9	365.0	343.2	311.5	279.8	248.1	214.3	180.4
-12	418.3	411.3	389.3	367.2	345.2	313.3	281.4	249.5	215.5	181.5
-11	421.2	414.1	391.7	369.4	347.1	315.0	282.8	250.7	216.6	182.4
-10	423.5	416.4	394.1	371.7	349.3	316.9	284.5	252.1	217.8	183.4
-9	426.0	418.8	396.1	373.4	350.8	318.3	285.8	253.4	218.8	184.2
-8	428.0	420.9	398.1	375.3	352.5	319.8	287.0	254.2	219.6	185.0
-7	429.4	422.0	399.2	376.5	353.7	320.8	287.9	255.1	220.3	185.6
-6	431.4	424.2	401.2	378.2	355.3	322.2	289.1	256.0	221.1	186.1
-5	432.9	425.7	402.5	379.3	356.1	322.9	289.8	256.6	221.6	186.6
-4	433.7	426.4	403.3	380.1	357.0	323.8	290.6	257.4	222.2	187.0
-3	434.3	426.9	403.8	380.8	357.7	324.3	290.9	257.5	222.4	187.3
-2	435.1	427.7	404.4	381.1	357.8	324.5	291.2	258.0	222.8	187.5
-1	435.4	428.0	404.8	381.6	358.3	324.9	291.5	258.1	222.8	187.6
0	435.4	427.8	404.7	381.5	358.4	324.9	291.5	258.1	222.9	187.7
1	435.5	428.0	404.8	381.6	358.4	325.0	291.5	258.1	222.9	187.7
2	434.8	427.3	404.2	381.0	357.9	324.6	291.3	258.0	222.8	187.5
3	434.4	427.0	403.8	380.7	357.6	324.2	290.9	257.5	222.4	187.3
4	433.5	426.1	403.0	379.9	356.8	323.6	290.3	257.1	222.0	186.9
5	432.5	425.1	402.1	379.1	356.0	322.9	289.7	256.5	221.5	186.5
6	431.1	423.8	400.9	377.9	355.0	321.9	288.9	255.8	220.9	186.1
7	429.7	422.3	399.5	376.6	353.8	320.9	287.9	255.0	220.3	185.5
8	427.7	420.5	397.9	375.3	352.7	319.8	287.0	254.1	219.5	184.8
9	425.7	418.4	395.9	373.4	350.9	318.2	285.6	253.0	218.5	184.0
10	423.5	416.2	393.8	371.4	349.0	316.6	284.2	251.9	217.6	183.3
11	421.3	414.2	392.0	369.8	347.5	315.2	283.0	250.7	216.5	182.3
12	418.2	411.0	389.0	367.0	345.0	313.1	281.1	249.2	215.3	181.3
13	415.4	408.4	386.5	364.7	342.8	311.1	279.5	247.8	214.0	180.3
14	412.3	405.2	383.6	361.9	340.3	308.9	277.5	246.1	212.6	179.2
15	408.9	402.0	380.6	359.1	337.7	306.5	275.4	244.2	211.0	177.8
16	405.5	398.7	377.5	356.2	335.0	304.1	273.2	242.3	209.4	176.5
17	401.8	395.0	374.0	352.9	331.9	301.4	270.9	240.4	207.8	175.1
18	397.8	391.1	370.3	349.5	328.7	298.6	268.5	238.4	206.0	173.6
19	393.7	387.1	366.6	346.1	325.6	295.8	266.0	236.2	204.1	172.0
20	389.3	382.8	362.6	342.3	322.1	292.7	263.4	234.0	202.1	170.3
21	384.8	378.4	358.5	338.6	318.7	289.6	260.6	231.6	200.0	168.5
22	380.2	373.9	354.3	334.6	315.0	286.3	257.7	229.0	197.8	166.6
23	375.3	369.1	349.8	330.5	311.3	283.0	254.7	226.5	195.5	164.6
24	370.4	364.1	345.2	326.3	307.4	279.6	251.7	223.8	193.2	162.6
25	365.3	359.3	340.6	321.9	303.2	275.8	248.4	221.0	190.7	160.5
26	359.9	353.9	335.6	317.3	299.0	272.0	245.0	218.0	188.1	158.3
27	354.5	348.6	330.7	312.8	294.9	268.2	241.5	214.9	185.4	156.0
28	348.9	343.2	325.6	308.1	290.5	264.2	237.9	211.7	182.7	153.7
29	343.3	337.6	320.4	303.2	286.0	260.1	234.2	208.2	179.7	151.2
30	337.5	332.0	315.1	298.2	281.3	255.8	230.3	204.8	176.8	148.7

**Photometric Data Table [Unit:cd] 05000303 MOBiDIM SMD R110 2700K**

31	331.6	326.2	309.6	293.0	276.4	251.4	226.4	201.4	173.8	146.2
32	325.5	320.2	303.9	287.6	271.3	246.8	222.3	197.9	170.7	143.6
33	319.3	314.0	298.1	282.1	266.1	242.2	218.2	194.3	167.7	141.0
34	312.9	307.8	292.2	276.6	261.0	237.6	214.2	190.7	164.5	138.3
35	306.5	301.6	286.3	271.0	255.7	232.8	209.8	186.9	161.2	135.6
36	299.9	295.0	280.1	265.3	250.4	228.0	205.6	183.2	158.0	132.8
37	293.3	288.6	274.1	259.6	245.1	223.2	201.4	179.5	154.8	130.1
38	286.6	282.0	267.9	253.7	239.6	218.3	196.9	175.6	151.4	127.2
39	279.8	275.3	261.6	247.9	234.2	213.4	192.6	171.8	148.1	124.4
40	272.9	268.5	255.3	242.0	228.8	208.5	188.1	167.7	144.6	121.4
41	266.3	262.1	249.1	236.2	223.2	203.5	183.7	163.9	141.2	118.5
42	259.4	255.3	242.8	230.3	217.7	198.5	179.2	159.9	137.7	115.5
43	252.6	248.7	236.5	224.2	212.0	193.3	174.5	155.7	134.1	112.5
44	245.6	241.7	230.0	218.2	206.4	188.2	169.9	151.7	130.6	109.5
45	238.8	235.0	223.6	212.2	200.8	183.1	165.3	147.6	127.1	106.5
46	232.1	228.5	217.4	206.3	195.3	178.0	160.7	143.5	123.4	103.4
47	225.3	221.8	211.0	200.2	189.5	172.7	156.0	139.3	119.8	100.3
48	218.4	215.0	204.7	194.3	184.0	167.7	151.4	135.1	116.1	97.2
49	211.7	208.4	198.4	188.4	178.4	162.5	146.7	130.9	112.5	94.1
50	204.8	201.7	192.0	182.3	172.6	157.3	142.0	126.7	108.9	91.0
51	198.0	195.0	185.6	176.3	166.9	152.1	137.3	122.5	105.1	87.8
52	191.3	188.3	179.3	170.2	161.2	146.9	132.6	118.2	101.5	84.7
53	184.5	181.7	173.0	164.3	155.5	141.7	127.8	114.0	97.7	81.5
54	177.8	175.1	166.7	158.3	149.9	136.5	123.1	109.8	94.1	78.4
55	171.2	168.6	160.5	152.4	144.2	131.3	118.4	105.5	90.3	75.2
56	164.6	162.1	154.3	146.5	138.6	126.2	113.7	101.2	86.7	72.1
57	157.9	155.4	147.9	140.5	133.0	121.0	109.0	97.0	83.0	69.0
58	151.2	148.9	141.7	134.5	127.3	115.8	104.3	92.8	79.3	65.8
59	144.7	142.4	135.5	128.6	121.7	110.6	99.6	88.5	75.6	62.7
60	138.1	136.0	129.4	122.8	116.2	105.5	94.9	84.3	72.0	59.6
61	131.6	129.5	123.2	116.9	110.6	100.4	90.3	80.1	68.4	56.6
62	125.2	123.2	117.2	111.1	105.1	95.4	85.7	75.9	64.8	53.6
63	118.8	116.9	111.1	105.3	99.6	90.3	81.1	71.8	61.2	50.5
64	112.3	110.5	105.0	99.6	94.1	85.3	76.4	67.6	57.6	47.5
65	106.0	104.2	99.0	93.9	88.7	80.3	71.9	63.6	54.0	44.5
66	99.7	98.1	93.2	88.3	83.3	75.4	67.5	59.6	50.6	41.6
67	93.5	91.9	87.3	82.6	77.9	70.5	63.0	55.6	47.1	38.7
68	87.3	85.8	81.5	77.1	72.7	65.7	58.7	51.7	43.8	35.9
69	81.2	79.8	75.7	71.6	67.5	61.0	54.4	47.8	40.5	33.1
70	75.2	73.9	70.0	66.2	62.3	56.2	50.1	44.0	37.1	30.3
71	69.2	68.0	64.5	60.9	57.4	51.7	46.0	40.3	34.0	27.6
72	63.5	62.3	59.0	55.7	52.4	47.2	41.9	36.7	30.8	25.0
73	57.8	56.8	53.7	50.7	47.6	42.8	38.0	33.1	27.8	22.4
74	52.2	51.2	48.5	45.8	43.0	38.6	34.1	29.7	24.8	19.9
75	46.8	45.9	43.4	40.9	38.4	34.4	30.4	26.3	21.9	17.5
76	41.5	40.7	38.4	36.2	34.0	30.3	26.7	23.0	19.1	15.2
77	36.4	35.6	33.6	31.7	29.7	26.5	23.2	20.0	16.5	13.0
78	31.5	30.8	29.1	27.3	25.6	22.7	19.9	17.0	13.9	10.8
79	26.7	26.1	24.6	23.1	21.6	19.1	16.6	14.1	11.5	8.8

**Photometric Data Table [Unit:cd] 05000303 MOBiDIM SMD R110 2700K**

<b>80</b>	22.3	21.9	20.5	19.1	17.8	15.6	13.5	11.4	9.2	7.0
<b>81</b>	18.0	17.6	16.5	15.4	14.2	12.4	10.6	8.9	7.1	5.3
<b>82</b>	14.0	13.7	12.7	11.8	10.9	9.4	8.0	6.5	5.2	3.9
<b>83</b>	10.3	10.0	9.3	8.5	7.8	6.7	5.6	4.5	3.7	2.9
<b>84</b>	6.9	6.7	6.2	5.6	5.1	4.3	3.5	2.7	2.4	2.1
<b>85</b>	4.2	4.0	3.7	3.3	2.9	2.7	2.4	2.2	1.9	1.7
<b>86</b>	2.4	2.4	2.3	2.2	2.1	2.0	1.8	1.7	1.4	1.1
<b>87</b>	1.8	1.7	1.6	1.6	1.5	1.3	1.0	0.8	0.7	0.6
<b>88</b>	0.6	0.6	0.6	0.5	0.5	0.4	0.4	0.3	0.3	0.3
<b>89</b>	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1
<b>90</b>	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1
<b>V\H</b>	<b>60</b>	<b>65</b>	<b>70</b>	<b>75</b>	<b>80</b>	<b>85</b>	<b>90</b>			
<b>-90</b>	0.2	0.2	0.2	0.2	0.0	0.0	0.0			
<b>-89</b>	0.2	0.2	0.2	0.2	0.0	0.0	0.0			
<b>-88</b>	0.3	0.2	0.2	0.2	0.0	0.0	0.0			
<b>-87</b>	0.5	0.4	0.3	0.2	0.0	0.0	0.0			
<b>-86</b>	0.8	0.7	0.5	0.3	0.0	0.0	0.0			
<b>-85</b>	1.4	1.1	0.8	0.5	0.0	0.0	0.0			
<b>-84</b>	1.8	1.5	1.1	0.8	0.0	0.0	0.0			
<b>-83</b>	2.2	1.8	1.4	1.0	0.0	0.0	0.0			
<b>-82</b>	2.5	2.1	1.6	1.2	0.0	0.0	0.0			
<b>-81</b>	3.5	2.8	2.1	1.4	0.0	0.0	0.0			
<b>-80</b>	4.7	3.7	2.6	1.6	0.0	0.0	0.0			
<b>-79</b>	6.1	4.7	3.2	1.7	0.0	0.0	0.0			
<b>-78</b>	7.7	5.8	3.9	1.9	0.0	0.0	0.0			
<b>-77</b>	9.4	7.0	4.5	2.1	0.0	0.0	0.0			
<b>-76</b>	11.2	8.2	5.3	2.3	0.0	0.0	0.0			
<b>-75</b>	13.0	9.5	6.0	2.5	0.0	0.0	0.0			
<b>-74</b>	15.0	11.0	7.0	3.0	0.0	0.0	0.0			
<b>-73</b>	17.0	12.5	8.0	3.5	0.0	0.0	0.0			
<b>-72</b>	19.1	14.1	9.1	4.1	0.0	0.0	0.0			
<b>-71</b>	21.2	15.7	10.2	4.8	0.0	0.0	0.0			
<b>-70</b>	23.3	17.3	11.4	5.4	0.0	0.0	0.0			
<b>-69</b>	25.5	19.0	12.6	6.1	0.0	0.0	0.0			
<b>-68</b>	27.8	20.8	13.8	6.9	0.0	0.0	0.0			
<b>-67</b>	30.0	22.6	15.1	7.6	0.0	0.0	0.0			
<b>-66</b>	32.4	24.4	16.4	8.5	0.0	0.0	0.0			
<b>-65</b>	34.8	26.3	17.8	9.3	0.0	0.0	0.0			
<b>-64</b>	37.2	28.2	19.2	10.1	0.0	0.0	0.0			
<b>-63</b>	39.7	30.1	20.5	11.0	0.0	0.0	0.0			
<b>-62</b>	42.2	32.1	21.9	11.8	0.0	0.0	0.0			
<b>-61</b>	44.7	34.0	23.4	12.7	0.0	0.0	0.0			
<b>-60</b>	47.2	36.0	24.8	13.6	0.0	0.0	0.0			
<b>-59</b>	49.7	38.0	26.3	14.5	0.0	0.0	0.0			
<b>-58</b>	52.3	40.0	27.7	15.4	0.0	0.0	0.0			
<b>-57</b>	54.9	42.0	29.2	16.3	0.0	0.0	0.0			
<b>-56</b>	57.5	44.1	30.7	17.3	0.0	0.0	0.0			

**Photometric Data Table [Unit:cd] 05000303 MOBiDIM SMD R110 2700K**

-55	60.1	46.1	32.2	18.2	0.0	0.0	0.0
-54	62.7	48.2	33.6	19.1	0.0	0.0	0.0
-53	65.3	50.2	35.2	20.1	0.0	0.0	0.0
-52	67.9	52.3	36.6	21.0	0.0	0.0	0.0
-51	70.5	54.3	38.1	22.0	0.0	0.0	0.0
-50	73.1	56.4	39.6	22.9	0.0	0.0	0.0
-49	75.6	58.4	41.1	23.9	0.0	0.0	0.0
-48	78.3	60.5	42.6	24.8	0.0	0.0	0.0
-47	80.8	62.4	44.1	25.8	0.0	0.0	0.0
-46	83.4	64.5	45.6	26.7	0.0	0.0	0.0
-45	85.9	66.5	47.1	27.7	0.0	0.0	0.0
-44	88.5	68.5	48.6	28.6	0.0	0.0	0.0
-43	91.0	70.5	50.0	29.5	0.0	0.0	0.0
-42	93.5	72.5	51.5	30.5	0.0	0.0	0.0
-41	95.9	74.4	52.9	31.4	0.0	0.0	0.0
-40	98.4	76.4	54.4	32.3	0.0	0.0	0.0
-39	100.8	78.3	55.8	33.2	0.0	0.0	0.0
-38	103.1	80.1	57.2	34.2	0.0	0.0	0.0
-37	105.4	81.9	58.5	35.1	0.0	0.0	0.0
-36	107.7	83.8	59.9	35.9	0.0	0.0	0.0
-35	110.0	85.6	61.2	36.8	0.0	0.0	0.0
-34	112.1	87.3	62.5	37.7	0.0	0.0	0.0
-33	114.4	89.1	63.8	38.5	0.0	0.0	0.0
-32	116.5	90.8	65.1	39.4	0.0	0.0	0.0
-31	118.7	92.6	66.4	40.2	0.0	0.0	0.0
-30	120.7	94.2	67.6	41.0	0.0	0.0	0.0
-29	122.7	95.8	68.8	41.8	0.0	0.0	0.0
-28	124.7	97.4	70.0	42.6	0.0	0.0	0.0
-27	126.7	98.9	71.1	43.4	0.0	0.0	0.0
-26	128.6	100.4	72.3	44.1	0.0	0.0	0.0
-25	130.3	101.8	73.3	44.9	0.0	0.0	0.0
-24	132.2	103.3	74.4	45.6	0.0	0.0	0.0
-23	133.8	104.6	75.4	46.2	0.0	0.0	0.0
-22	135.4	105.9	76.3	46.8	0.0	0.0	0.0
-21	137.1	107.2	77.3	47.4	0.0	0.0	0.0
-20	138.6	108.4	78.2	48.0	0.0	0.0	0.0
-19	140.0	109.6	79.1	48.7	0.0	0.0	0.0
-18	141.4	110.7	79.9	49.2	0.0	0.0	0.0
-17	142.6	111.7	80.7	49.8	0.0	0.0	0.0
-16	143.8	112.6	81.5	50.3	0.0	0.0	0.0
-15	144.8	113.5	82.2	50.8	0.0	0.0	0.0
-14	145.7	114.3	82.8	51.3	0.0	0.0	0.0
-13	146.6	115.0	83.4	51.8	0.0	0.0	0.0
-12	147.5	115.8	84.0	52.2	0.0	0.0	0.0
-11	148.3	116.4	84.5	52.6	0.0	0.0	0.0
-10	149.0	117.0	85.0	53.0	0.0	0.0	0.0
-9	149.6	117.5	85.4	53.3	0.0	0.0	0.0
-8	150.3	118.1	85.8	53.5	0.0	0.0	0.0
-7	150.9	118.5	86.1	53.7	0.0	0.0	0.0

**Photometric Data Table [Unit:cd] 05000303 MOBiDIM SMD R110 2700K**

-6	151.2	118.8	86.3	53.9	0.0	0.0	0.0
-5	151.7	119.1	86.6	54.0	0.0	0.0	0.0
-4	151.9	119.3	86.7	54.1	0.0	0.0	0.0
-3	152.2	119.5	86.9	54.3	0.0	0.0	0.0
-2	152.3	119.6	86.9	54.2	0.0	0.0	0.0
-1	152.3	119.7	87.0	54.3	0.0	0.0	0.0
0	152.5	119.7	87.0	54.3	0.0	0.0	0.0
1	152.6	119.8	87.0	54.3	0.0	0.0	0.0
2	152.3	119.6	86.9	54.2	0.0	0.0	0.0
3	152.1	119.5	86.8	54.2	0.0	0.0	0.0
4	151.8	119.2	86.7	54.1	0.0	0.0	0.0
5	151.5	119.0	86.5	54.0	0.0	0.0	0.0
6	151.2	118.8	86.3	53.8	0.0	0.0	0.0
7	150.7	118.4	86.0	53.7	0.0	0.0	0.0
8	150.2	117.9	85.7	53.4	0.0	0.0	0.0
9	149.6	117.4	85.3	53.2	0.0	0.0	0.0
10	149.0	116.9	84.9	52.9	0.0	0.0	0.0
11	148.2	116.3	84.4	52.6	0.0	0.0	0.0
12	147.4	115.7	83.9	52.2	0.0	0.0	0.0
13	146.5	114.9	83.3	51.7	0.0	0.0	0.0
14	145.7	114.2	82.7	51.2	0.0	0.0	0.0
15	144.6	113.3	82.0	50.8	0.0	0.0	0.0
16	143.6	112.5	81.4	50.3	0.0	0.0	0.0
17	142.5	111.6	80.6	49.7	0.0	0.0	0.0
18	141.2	110.5	79.8	49.1	0.0	0.0	0.0
19	140.0	109.5	79.0	48.6	0.0	0.0	0.0
20	138.4	108.3	78.1	47.9	0.0	0.0	0.0
21	136.9	107.0	77.2	47.3	0.0	0.0	0.0
22	135.4	105.8	76.2	46.6	0.0	0.0	0.0
23	133.6	104.4	75.2	46.0	0.0	0.0	0.0
24	132.0	103.1	74.2	45.3	0.0	0.0	0.0
25	130.2	101.7	73.1	44.6	0.0	0.0	0.0
26	128.4	100.2	72.0	43.9	0.0	0.0	0.0
27	126.5	98.7	70.9	43.1	0.0	0.0	0.0
28	124.7	97.2	69.8	42.3	0.0	0.0	0.0
29	122.7	95.6	68.6	41.6	0.0	0.0	0.0
30	120.7	94.1	67.4	40.8	0.0	0.0	0.0
31	118.6	92.4	66.1	39.9	0.0	0.0	0.0
32	116.5	90.7	64.9	39.1	0.0	0.0	0.0
33	114.4	89.0	63.6	38.3	0.0	0.0	0.0
34	112.1	87.2	62.3	37.4	0.0	0.0	0.0
35	109.9	85.5	61.0	36.6	0.0	0.0	0.0
36	107.7	83.7	59.7	35.7	0.0	0.0	0.0
37	105.3	81.8	58.3	34.8	0.0	0.0	0.0
38	103.0	80.0	57.0	33.9	0.0	0.0	0.0
39	100.6	78.1	55.6	33.0	0.0	0.0	0.0
40	98.2	76.2	54.2	32.1	0.0	0.0	0.0
41	95.8	74.3	52.8	31.2	0.0	0.0	0.0
42	93.4	72.3	51.3	30.3	0.0	0.0	0.0


**Photometric Data Table [Unit:cd] 05000303 MOBiDIM SMD R110 2700K**

<b>43</b>	90.9	70.4	49.9	29.3	0.0	0.0	0.0
<b>44</b>	88.5	68.4	48.4	28.4	0.0	0.0	0.0
<b>45</b>	85.9	66.4	47.0	27.5	0.0	0.0	0.0
<b>46</b>	83.4	64.4	45.5	26.6	0.0	0.0	0.0
<b>47</b>	80.8	62.4	44.0	25.6	0.0	0.0	0.0
<b>48</b>	78.2	60.4	42.5	24.6	0.0	0.0	0.0
<b>49</b>	75.7	58.4	41.0	23.7	0.0	0.0	0.0
<b>50</b>	73.1	56.4	39.6	22.9	0.0	0.0	0.0
<b>51</b>	70.5	54.3	38.1	21.9	0.0	0.0	0.0
<b>52</b>	67.9	52.3	36.6	21.0	0.0	0.0	0.0
<b>53</b>	65.3	50.2	35.1	20.0	0.0	0.0	0.0
<b>54</b>	62.7	48.2	33.6	19.1	0.0	0.0	0.0
<b>55</b>	60.1	46.1	32.2	18.2	0.0	0.0	0.0
<b>56</b>	57.5	44.1	30.7	17.3	0.0	0.0	0.0
<b>57</b>	54.9	42.1	29.2	16.3	0.0	0.0	0.0
<b>58</b>	52.4	40.0	27.7	15.4	0.0	0.0	0.0
<b>59</b>	49.8	38.0	26.3	14.5	0.0	0.0	0.0
<b>60</b>	47.3	36.1	24.8	13.6	0.0	0.0	0.0
<b>61</b>	44.9	34.2	23.5	12.7	0.0	0.0	0.0
<b>62</b>	42.4	32.2	22.0	11.9	0.0	0.0	0.0
<b>63</b>	39.9	30.3	20.6	11.0	0.0	0.0	0.0
<b>64</b>	37.4	28.3	19.2	10.1	0.0	0.0	0.0
<b>65</b>	35.0	26.4	17.9	9.3	0.0	0.0	0.0
<b>66</b>	32.6	24.6	16.5	8.5	0.0	0.0	0.0
<b>67</b>	30.3	22.7	15.2	7.7	0.0	0.0	0.0
<b>68</b>	28.0	20.9	13.9	6.9	0.0	0.0	0.0
<b>69</b>	25.7	19.2	12.7	6.2	0.0	0.0	0.0
<b>70</b>	23.4	17.4	11.4	5.4	0.0	0.0	0.0
<b>71</b>	21.3	15.8	10.3	4.7	0.0	0.0	0.0
<b>72</b>	19.2	14.1	9.1	4.1	0.0	0.0	0.0
<b>73</b>	17.1	12.6	8.0	3.5	0.0	0.0	0.0
<b>74</b>	15.1	11.0	7.0	3.0	0.0	0.0	0.0
<b>75</b>	13.1	9.6	6.0	2.5	0.0	0.0	0.0
<b>76</b>	11.3	8.3	5.3	2.3	0.0	0.0	0.0
<b>77</b>	9.4	7.0	4.6	2.1	0.0	0.0	0.0
<b>78</b>	7.8	5.8	3.9	1.9	0.0	0.0	0.0
<b>79</b>	6.2	4.7	3.2	1.8	0.0	0.0	0.0
<b>80</b>	4.8	3.7	2.6	1.6	0.0	0.0	0.0
<b>81</b>	3.5	2.8	2.1	1.4	0.0	0.0	0.0
<b>82</b>	2.5	2.1	1.6	1.2	0.0	0.0	0.0
<b>83</b>	2.2	1.8	1.4	1.0	0.0	0.0	0.0
<b>84</b>	1.8	1.5	1.1	0.8	0.0	0.0	0.0
<b>85</b>	1.4	1.1	0.8	0.5	0.0	0.0	0.0
<b>86</b>	0.9	0.7	0.5	0.3	0.0	0.0	0.0
<b>87</b>	0.5	0.4	0.3	0.2	0.0	0.0	0.0
<b>88</b>	0.2	0.2	0.2	0.1	0.0	0.0	0.0
<b>89</b>	0.1	0.1	0.1	0.1	0.0	0.0	0.0
<b>90</b>	0.1	0.1	0.1	0.1	0.0	0.0	0.0






**Zonal Flux05000303 MOBiDIM SMD R110 2700K**

<b>H</b> <b>[°]</b>	<b>I<sub>mean</sub></b> <b>[cd]</b>	<b>Zonal Flux</b> <b>[lm]</b>	<b>Sum.Flux</b> <b>[lm]</b>	<b>Zonal Flux</b> <b>[%]</b>	<b>Sum.Flux</b> <b>[%]</b>
<b>0</b>	238.79	0.00	0.00	0.00	0.00
<b>5</b>	235.03	64.87	64.87	4.05	4.05
<b>10</b>	231.27	63.35	128.22	3.96	8.01
<b>15</b>	227.50	61.38	189.60	3.84	11.85
<b>20</b>	215.70	57.92	247.52	3.62	15.47
<b>25</b>	203.90	53.12	300.64	3.32	18.79
<b>30</b>	192.10	48.13	348.78	3.01	21.80
<b>35</b>	174.55	42.38	391.15	2.65	24.45
<b>40</b>	157.00	36.05	427.20	2.25	26.70
<b>45</b>	139.46	29.95	457.15	1.87	28.57
<b>50</b>	120.07	24.03	481.18	1.50	30.07
<b>55</b>	100.67	18.41	499.59	1.15	31.22
<b>60</b>	81.28	13.40	512.99	0.84	32.06
<b>65</b>	63.25	9.14	522.13	0.57	32.63
<b>70</b>	45.21	5.69	527.82	0.36	32.99
<b>75</b>	27.17	2.98	530.80	0.19	33.18
<b>80</b>	0.00	0.81	531.61	0.05	33.23
<b>85</b>	0.00	0.00	531.61	0.00	33.23
<b>90</b>	0.00	0.00	531.61	0.00	33.23




Light Distribution Curve[Unit: cd]





**Iso-Lux [Unit :lx]05000303 MOBiDIM SMD R110 2700K**



Units: lx  
Height: 3 m  
Max Illuminance : 50.06lx

## Luminance Limiting Curve

Diameter: 0mm

Length: 110mm


Width: 110mm

Height: 40mm

(cd/m<sup>2</sup>)

Gamma	45°	50°	55°	60°	65°	70°	75°	80°	85°
C0 0	17	18	20	23	26	32	41		
C90	30167	28658	27042	25201	23416	21028	17339		

Glare	Quality	Service Values Illuminance (lx)							
1.15	A	2000	1000	500	≤300				
1.5	B		2000	1000	500	≤300			
1.85	C			2000	1000	500	≤300		
2.2	D				2000	1000	500	≤300	
2.55	E					2000	1000	500	≤300



***mobilux GmbH&Co.KG***  
***Lux-Distance Curve***

